

## Zoomlion Access Unveils New Telehandler at Intermat



This week at Intermat, Zoomlion Access proudly unveiled our latest innovation, **telehandler ZTH2506**, designed to set new standards in the industry. Featuring cutting-edge technology and robust performance, it is perfect for a wide range of construction and industrial applications.

## Telehandler ZTH2506

Attendees at Intermat had the first glimpse of the telehandler's advanced features, which include enhanced maneuverability, superior lifting capacity, and innovative safety enhancements. Let's us a quick view of our top-notch telehandler.



### Main specs of [ZTH2506](#)

(Click to see more)

- *Work Heights:6.1m;*
- *Platform Capacity:2.5t;*
- *Maximum Forward Reach:3.5m;*
- *Strong off-road performance;*
- *Excellent maneuverability.*



In addition to the product launch, a significant highlight of our presence at Intermat was the **signing ceremony** that took place at our booth. This ceremony marked a pivotal moment as we forged new partnerships and solidified existing relationships with key industry leaders.

What's more, there were many other interesting activities and several other new releases of our products during the Intermat. let's have a quick review through the video and the following product list!

## Product List & Detailed Specs



### Main specs of 100% electric scissor lifts

Zoomlion Access full electric scissor lifts [ZSo407E](#) & [ZSo607E](#) grab the spotlight with zero leaks and 100% electric performance. Their features of fulfilling platform Heights of 6.2m & 7.8m and top-notch platform Capacity of 240kg & 230kg make them ideal in construction sites.



### Main specs of AC-Li series scissor lift

The [ZSo808AC-Li](#) scissor lift excels in efficiency and versatility, achieving work heights of 10.00m indoors and 7.8m outdoors, with a 230kg platform capacity. It also features an efficient AC system with waterproof AC wheel motors.



### Main specs of crawler scissor lift

The [ZS1216C](#) crawler scissor lift offers a work height of 13.8m and a platform capacity of 350kg, designed for efficiency and ease of maneuverability.



### Main specs of rough terrain scissor lifts

The [ZS1023RT](#), [ZS1623RT](#) and [ZS1218ERT](#) set new standards for off-road capability with their robust 4-wheel drive and axle oscillation, ensuring smooth operation on uneven surfaces.



### Main specs of articulating boom lifts

The [ZA10RJE](#), [ZA14J](#) and [ZA32J](#) possess advanced multiple pressure control leveling system and precise load sensing which provide unparalleled stability and safety.



### Main specs of telescopic boom lift

The *Ultra Telescopic Boom Lift* [ZI58J](#) from Zoomlion Access revolutionizes telescopic boom lift design, boasting up to 58.8m in work height and 25.5m in horizontal outreach with unparalleled stability and off-road capability.

